



Chip nr.: 250259806247576 / India du Barquet / 25000118187428F

Owner : Youhorse.auction,
Name : India du Barquet \ Cheval de Selle Francais
Chipnumber & lineage : 250259806247576 / Mare
Date of birth & gender : 20-05-2018/ Merrie
Veterinarian : Bart Veldeman

Onderzoek: Paard Aankoop protocol, 15-10-2024 10:57

General and clinical examination

Conformation and stance: ☒ Normal ☐ Abnormal:
Condition: ☒ Normal ☐ Abnormal:
Skin and coat: ☒ Normal ☐ Abnormal:
Mucous membranes: ☒ Normal ☐ Abnormal:
Lymph nodes: ☒ Normal ☐ Abnormal:
Eyes and eyelids: ☒ Normal ☐ Abnormal:

Respiratory system

Respiration at rest: ☒ Normal ☐ Abnormal:
Type of respiration: ☒ Normal ☐ Abnormal:
Spontaneous coughing: ☒ No ☐ Yes:
Larynx sensitivity: ☒ Normal ☐ Abnormal:
Respiration at exercise: ☒ Normal ☐ Abnormal:
Abnormal sounds: ☒ No ☐ Yes:
Laryngoscopy performed: ☒ No ☐ Yes:
Laryngoscopy findings: ☐ Normal ☐ Abnormal:

Circulatory system

Peripheral circulation: ☒ Normal ☐ Abnormal:
Heart at rest: ☒ Normal ☐ Abnormal:
Heart after exercise: ☒ Normal ☐ Abnormal:

Digestive system (external inspection)

Digestive system (external inspection): ☒ Normal ☐ Abnormal:
Mouth, teeth, tongue: ☒ Normal ☐ Abnormal:

Urogenital system (External inspection)

Urogenital system (External inspection): ☒ Normal ☐ Abnormal:

Nervous system



Chip nr.: 250259806247576 / India du Barquet / 25000118187428F

Nervous system:	☒ Normal ☐ Abnormal:	
Tail tone:	☒ Normal ☐ Abnormal:	
Correction reflexes:	☐ Normal ☐ Abnormal:	
Coordination:	☒ Normal ☐ Abnormal:	

Inspection, palpation and eventual percussion

Head:	☒ Normal ☐ Abnormal:	
Neck:	☒ Normal ☐ Abnormal:	
Withers:	☒ Normal ☐ Abnormal:	
Back:	☒ Normal ☐ Abnormal:	
Croup:	☒ Normal ☐ Abnormal:	
Front left:	☒ Normal ☐ Abnormal:	
Front right:	☒ Normal ☐ Abnormal:	
Hind left:	☒ Normal ☐ Abnormal:	
Hind right:	☒ Normal ☐ Abnormal:	

Hooves

Horn quality:	☒ Normal ☐ Abnormal:	
Hoof percussion:	☐ Normal ☐ Abnormal:	
Hoof shape:	☒ Even ☐ Uneven:	
Shoeing:	☐ No ☐ Front ☒ Front and hind	
Type of shoeing:	normal	

Walk, trot and canter

Walking on hard surface

Straight line:	☒ Normal ☐ Abnormal:	
Small circle on the left:	☒ Normal ☐ Abnormal:	
Small circle on the right:	☒ Normal ☐ Abnormal:	

Trotting on hard surface

Straight line:	☒ Normal ☐ Abnormal:	
Small circle on the left:	☒ Normal ☐ Abnormal:	
Small circle on the right:	☒ Normal ☐ Abnormal:	

Trotting on soft surface

Small circle on the left:	☒ Normal ☐ Abnormal:	
Small circle on the right:	☒ Normal ☐ Abnormal:	

Cantering on soft surface

Small circle on the left:	☒ Normal ☐ Abnormal:	
Small circle on the right:	☒ Normal ☐ Abnormal:	

Flexion tests

Forced flexion

Trotting after 1 minute flexion



Chip nr.: 250259806247576 / India du Barquet / 25000118187428F

Front left: ☒ Negative ☐ Positive Front left: ☒ - ☐ ± ☐ + ☐ ++
Front right: ☒ Negative ☐ Positive Front right: ☒ - ☐ ± ☐ + ☐ ++
Hind left: ☒ Negative ☐ Positive Hind left: ☒ - ☐ ± ☐ + ☐ ++
Hind right: ☒ Negative ☐ Positive Hind right: ☒ - ☐ ± ☐ + ☐ ++

Conclusion

Normal medical risk.

De aansprakelijkheid van DAP Bodegraven is beperkt tot het bedrag dat door de beroepsaansprakelijkheidsverzekeraar wordt uitgekeerd.
Op al onze overeenkomsten en op alle (overige) (rechts)handelingen zijn onze algemene voorwaarden van kracht.